LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

In the Claims:

This listing of claims replaces all prior versions and listing of claims in the application.

- 1. (Currently amended) An integrated circuit for a smart card and comprising:
 - a transceiver; and
- a processor for communicating with a host device via said transceiver and performing a plurality of smart card applications, said processor for

cooperating with the host device to perform an enumeration based upon at least one default descriptor,

generating a look-up table for allocating data to respective smart card applications based upon the enumeration, and

detecting a system event and, responsive to the system event, cooperating with the host device to perform a new enumeration based upon at least one alternate descriptor and generating a new look-up table based thereon.

2. (Original) The integrated circuit of Claim 1 wherein each application has at least one endpoint associated therewith, and wherein the look-up tables are for allocating data to respective application endpoints.

LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

- 3. (Original) The integrated circuit of Claim 1 wherein the system event comprises a system utilization metric exceeding a threshold.
- 4. (Original) The integrated circuit of Claim 1 wherein the system event comprises the occurrence of attempted unauthorized communications.
- 5. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one device descriptor.
- 6. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one configuration descriptor.
- 7. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one interface descriptor.
- 8. (Original) The integrated circuit of Claim 1 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.

In re Patent Application of:
LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

- 9. (Original) The integrated circuit of Claim 1 further comprising at least one memory connected to said processor for storing the look-up tables.
- 10. (Original) The integrated circuit of Claim 1 wherein said transceiver comprises a universal serial bus (USB) transceiver, and wherein said processor operates in a USB mode.
 - 11. (Original) A smart card comprising:
 a smart card body; and

an integrated circuit carried by said smart card body and comprising

a transceiver, and

a processor for communicating with a host device via said transceiver and performing a plurality of smart card applications, said processor for

cooperating with the host device to perform an enumeration based upon at least one default descriptor,

generating a look-up table for allocating data to respective smart card applications based upon the enumeration, and

detecting a system event and, responsive to the system event, cooperating with the host device to perform a new enumeration

LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

based upon at least one alternate descriptor and generating a new look-up table based thereon.

- 12. (Original) The smart card of Claim 11 wherein each application has at least one endpoint associated therewith, and wherein the look-up tables are for allocating data to respective application endpoints.
- 13. (Original) The smart card of Claim 11 wherein the system event comprises a system utilization metric exceeding a threshold.
- 14. (Original) The smart card of Claim 11 wherein the system event comprises the occurrence of attempted unauthorized communications.
- 15. (Original) The smart card of Claim 11 wherein the at least one alternate descriptor comprises at least one device descriptor.
- 16. (Original) The smart card of Claim 11 wherein the at least one alternate descriptor comprises at least one configuration descriptor.

LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

- 17. (Original) The smart card of Claim 11 wherein the at least one alternate descriptor comprises at least one interface descriptor.
- 18. (Original) The smart card of Claim 11 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.
- 19. (Original) The smart card of Claim 11 wherein said integrated circuit further comprises at least one memory connected to said processor for storing the look-up tables.
- 20. (Original) The smart card of Claim 11 wherein said transceiver comprises a universal serial bus (USB) transceiver, and wherein said processor operates in a USB mode.
 - 21. (Original) A smart card system comprising:
 - a host device;
 - a smart card adapter connected to said host device; and
- a smart card to be read by said smart card adapter and comprising a smart card body and an integrated circuit carried by said smart card body, said integrated circuit comprising
 - a transceiver, and
 - a processor for communicating with a host device via said transceiver and performing a plurality of smart card applications, said processor for

LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

cooperating with the host device to perform an enumeration based upon at least one default descriptor,

generating a look-up table for allocating data to respective smart card applications based upon the enumeration, and

detecting a system event and, responsive to the system event, cooperating with the host device to perform a new enumeration based upon at least one alternate descriptor and generating a new look-up table based thereon.

- 22. (Original) The smart card system of Claim 21 wherein each application has at least one endpoint associated therewith, and wherein the look-up tables are for allocating data to respective application endpoints.
- 23. (Original) The smart card system of Claim 21 wherein the system event comprises a system utilization metric exceeding a threshold.
- 24. (Original) The smart card system of Claim 21 wherein the system event comprises the occurrence of attempted unauthorized communications.

In re Patent Application of: LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

- 25. (Original) The smart card system of Claim 21 wherein the at least one alternate descriptor comprises at least one device descriptor.
- 26. (Original) The smart card system of Claim 21 wherein the at least one alternate descriptor comprises at least one configuration descriptor.
- 27. (Original) The smart card system of Claim 21 wherein the at least one alternate descriptor comprises at least one interface descriptor.
- 28. (Original) The smart card system of Claim 21 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.
- 29. (Original) The smart card system of Claim 21 wherein said integrated circuit further comprises at least one memory connected to said processor for storing the look-up tables.
- 30. (Original) The smart card system of Claim 21 wherein said transceiver comprises a universal serial bus (USB) transceiver, and wherein said processor operates in a USB mode.

LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

31. (Original) A method for operating a smart card for performing a plurality of smart card applications, the method comprising:

performing an enumeration of the smart card in cooperation with a host device based upon at least one default descriptor;

generating a look-up table for allocating data to respective smart card applications based upon the enumeration; and

detecting a system event and, responsive to the system event, performing a new enumeration in cooperation with the host device based upon at least one alternate descriptor and generating a new look-up table based thereon.

- 32. (Original) The method of Claim 31 wherein each application has at least one endpoint associated therewith, and wherein the look-up tables are for allocating data to respective application endpoints.
- 33. (Original) The method of Claim 31 wherein the system event comprises a system utilization metric exceeding a threshold.
- 34. (Original) The method of Claim 31 wherein the system event comprises the occurrence of attempted unauthorized communications.

LEAMING

Serial No. 10/828,747 Filed: April 21, 2004

35. (Original) The method of Claim 31 wherein the at least one alternate descriptor comprises at least one device descriptor.

- 36. (Original) The method of Claim 31 wherein the at least one alternate descriptor comprises at least one configuration descriptor.
- 37. (Original) The method of Claim 31 wherein the at least one alternate descriptor comprises at least one interface descriptor.
- 38. (Original) The method of Claim 31 wherein the at least one alternate descriptor comprises at least one endpoint descriptor.